



Sierras Circulares



1. Sawing

D	SB	BO	Z	QAL	ZF	SW	ID
mm	mm	mm					
70	2.8	20	8+8	HW	WZ	10	165400
80	2.8	20	10+10	HW	FZ	10	165401
80	3.3	20	18	DP	HZ/WZ	10	190700
100	2.4	12	30	HW	WZ	10	166109
100	2.4	22	30	HW	WZ	10	166110
100	2.8	20	10+10	HW	FZ	10	165402
100	2.8	22	10+10	HW	FZ	10	165403
100	3.2	20	20	HW	KON/FZ	5	165625
100	3.2	22	20	HW	KON/FZ	5	165626
100	3.3	22	18	DP	HZ/WZ	10	190730
100	3.5	30	35	HW	WZ/WZ/FZ	15	166000
100	4.0	30	35	HW	WZ/WZ/FZ	15	166008
100	5.0	30	35	HW	WZ/WZ/FZ	15	166001
100	8.5	20	35	HW	WZ/WZ/FZ	15	166013
120	2.4	20	24	HW	WZ	15	166111
120	2.8	20	12+12	HW	FZ	10	165404
120	2.8	20	12+12	DP	FZ	10	190731
120	2.8	22	12+12	HW	FZ	10	165405
120	2.8	22	12+12	HW	FZ	10	165406
120	2.8	22	12+12	DP	FZ	10	190694
120	2.8	50	12+12	HW	FZ	10	165412
120	2.8	50	12+12	DP	FZ	10	190704
120	3.2	20	24	HW	KON/FZ	5	165627
120	3.3	20	18	DP	HZ/WZ	10	190701
120	3.3	22	18	DP	HZ/WZ	10	190702
120	3.5	20	35	HW	WZ/WZ/FZ	15	166002
120	3.5	35	35	HW	WZ/WZ/FZ	15	166004
120	4.0	20	35	HW	WZ/WZ/FZ	15	166009
120	4.0	35	35	HW	WZ/WZ/FZ	15	166010
120	5.0	20	35	HW	WZ/WZ/FZ	15	166003
120	5.0	35	35	HW	WZ/WZ/FZ	15	166005
125	2.4	20	36	HW	WZ	10	166113
125	2.4	20	24	HW	WZ	15	166112
125	2.8	20	12+12	HW	FZ	10	165407
125	2.8	20	12+12	DP	FZ	10	190695
125	3.1	20	20	DP	KON/FZ	10	190564
125	3.2	20	24	HW	KON/WZ	5	165550
125	3.2	22	24	HW	KON/WZ	5	165551
125	3.3	20	18	DP	HZ/WZ	10	190703
125	3.5	30	35	HW	WZ/WZ/FZ	15	166006
125	4.0	30	35	HW	WZ/WZ/FZ	15	166011
125	4.4	20	24	HW	KON/FZ	5	165628
125	4.4	45	24	HW	KON/WZ	5	165553
125	4.4	45	24	HW	KON/FZ	5	165629
125	5.0	30	35	HW	WZ/WZ/FZ	15	166007
140	2.4	20	24	HW	WZ	15	166114
140	2.8	36	12+12	HW	WZ	10	165408
150	2.8	20	48	HW	WZ	10	166115
150	3.2	30	48	HW	WZ	10	163100
150	3.2	30	42	HW	FZ	10	165375
150	4.3	30	24	DP	KON/FZ	10	190565
150	4.4	20	24	HW	KON/WZ	5	165554
150	4.4	30	36	HW	KON/WZ	5	165555
150	4.4	30	24	HW	KON/WZ	5	165556
150	4.4	45	24	HW	KON/WZ	5	165557
150	4.4	45	28	HW	KON/WZ	5	165558
160	1.6	20	48	HW	FZFA/FZFA	0	169000
160	1.6	20	24	HW	WZ	25	166100
160	1.8	16	48	HW	WZ	10	060574
160	1.8	20	32	HW	WZ	5	166102

D	SB	BO	Z	QAL	ZF	SW	ID
mm	mm	mm					
160	1.8	20	18	HW	WZ	25	166101
160	2.2	20	48	HW	FZFA/FZFA	5	161008
160	2.5	20	56	HW	FZ/TR	-5	166350
160	2.5	20	24	HW	WZ	15	166117
160	2.5	20	48	HW	WZ	15	166118
160	2.5	20	12	HW	WZ	20	166116
160	2.6	20	48	HW	FZ/TR	5	166300
160	2.8	20	16+16	HW	FZ	10	165409
160	3.2	20	32	HW	KON/WZ	5	165559
160	3.2	20	4	DP	P	5	190302
160	4.3	55	30	DP	KON/FZ	10	190566
160	4.4	30	36	HW	KON/WZ	5	165560
160	4.4	45	36	HW	KON/WZ	5	165561
160	4.4	55	36	HW	KON/WZ	5	165562
165	1.6	20	48	HW	FZFA/FZFA	0	169001
165	2.2	20	56	HW	FZ/TR	-5	166351
165	2.2	20	48	HW	FZFA/FZFA	5	161009
165	2.2	20	48	HW	WZ	10	166104
165	2.2	20	24	HW	WZ	15	166119
165	2.4	20	12	HW	WZ	15	166103
170	2.5	30	48	HW	WZ	10	166120
180	1.3	60	32	HW	FZ	20	057418
180	1.5	60	21	HW	FZ	20	057443
180	1.6	16	56	HW	WZ	10	060591
180	1.8	60	32	HW	FZ	20	057412
180	1.8	60	21	HW	FZ	20	057444
180	2.2	30	18	HW	FZ	15	165300
180	2.4	16	58	HW	WZ	10	059665
180	2.4	30	30	HW	WZ	10	163101
180	2.4	30	24	HW	FZ	15	165301
180	2.5	20	48	HW	WZ	10	166122
180	2.5	20	24	HW	WZ	15	166121
180	2.5	30	48	HW	WZ	10	166105
180	2.5	30	35	DP	HZFA/ WZFA	10	190713
180	2.5	30	24	HW	WZ	15	166123
180	2.5	40	35	DP	HZFA/ WZFA	10	190714
180	3.0	22	18+18	HW	WZ	10	165410
180	3.0	30	60	HW	WZ/WZ/FZ	10	161250
180	3.0	30	60	HW	WZ/WZ/FZ	10	161267
180	3.0	30	24	HW	WZ	10	163102
180	3.0	40	60	HW	WZ/WZ/FZ	10	161251
180	3.0	50	18+18	HW	FZ	10	165413
180	3.2	16	42	HW	FZ/TR	5	166301
180	3.2	20	42	HW	FZ/TR	-5	166352
180	3.2	20	36	HW	KON/WZ	5	165563
180	3.2	30	58	HW	WZ	10	163103
180	3.2	30	48	HW	FZ	10	165378
180	3.2	65	36	HW	FZ	10	165376
180	3.2	65	36	HW	FZ	10	165377
180	3.2	65	48	HW	FZ	10	165379
180	3.2	65	48	HW	FZ	10	165380
180	3.2	65	58	HW	FZ	10	165381
180	3.2	65	58	HW	FZ	10	165382
180	3.2	65	24	DP	FZ	10	190660
180	3.2	65	24	DP	FZ	10	190661
180	3.2	65	36	DP	FZ	10	190662
180	3.2	65	36	DP	FZ	10	190663
180	3.2	65	48	DP	FZ	10	190664

1. Sawing

D	SB	BO	Z	QAL	ZF	SW	ID
mm	mm	mm					
180	3.2	65	48 DP	FZ		10	190665
180	3.5	30	30 HW	WZ		10	163104
180	3.8	60	24 HW	WZ		20	165255
180	4.3	30	30 DP	KON/FZ		10	190567
180	4.3	45	30 DP	KON/FZ		10	190568
180	4.4	20	36 HW	KON/WZ		5	165564
180	4.4	20	28 HW	KON/FZ		5	165630
180	4.4	30	30 HW	KON/FZ		5	165632
180	4.4	45	30 HW	KON/WZ		5	165565
180	4.4	45	36 HW	KON/WZ		5	165566
180	4.4	45	36 HW	KON/FZ		5	165633
180	4.5	50	36 HW	KON/WZ		5	165567
180	4.55	30	36 HW	WZFA		10	165681
180	4.7	45	30 DP	KON/FZ		10	190569
180	4.8	45	36 HW	KON/FZ		5	165634
180	5.8	20	36 HW	KON/FZ		5	165631
184	1.8	20	48 HW	FZFA/FZFA		0	163525
184	2.5	20	24 HW	WZ		15	166124
184	3.2	20	4 DP	P		5	190696
190	1.8	20	72 HW	FZFA/FZFA		-5	060278
190	1.8	30	54 HW	FZFA/FZFA		0	169002
190	2.4	20	58 HW	FZFA/FZFA		5	161010
190	2.5	30	24 HW	WZ		20	166128
190	2.6	20	54 HW	FZ/TR		-5	166353
190	2.8	16	48 HW	WZ		10	166126
190	2.8	16	24 HW	WZ		15	166125
190	2.8	30	68 HW	FZ/TR		-5	166354
190	2.8	30	54 HW	FZ/TR		5	166302
190	2.8	30	48 HW	WZ		10	166129
190	2.8	30	16 HW	WZ		20	166127
190	3.2	20	4 DP	P		5	190303
190	3.2	30	4 DP	P		5	190745
200	1.5	60	36 HW	FZ		20	057421
200	1.5	60	21 HW	FZ		20	057445
200	1.8	20	80 HW	FZFA/FZFA		-5	060274
200	1.8	60	21 HW	FZ		20	057446
200	2.0	16	64 HW	WZ		10	059666
200	2.0	30	24 HW	FZ		20	163575
200	2.4	30	36 HW	WZ		10	163105
200	2.4	30	60 HW	WZ		10	163106
200	2.4	30	18 HW	FZ		15	165302
200	2.4	30	24 HW	FZ		15	165303
200	2.4	40	24 HW	FZ		20	163550
200	2.5	30	40 DP	HZFA/ WZFA		10	190715
200	2.5	30	40 DP	HZFA/ WZFA		10	190716
200	2.8	20	84 HW	FZ/TR		5	166303
200	3.0	30	65 HW	WZ/WZ/FZ		10	161253
200	3.0	30	65 HW	WZ/WZ/FZ		10	161254
200	3.0	30	24 HW	WZ		10	163107
200	3.0	30	48 HW	WZ		10	163108
200	3.0	30	60 HW	WZ		10	163109
200	3.0	30	34 HW	WZ		10	166130
200	3.0	30	48 HW	WZ		10	166131
200	3.2	18	80 HW	FZ/TR		-5	166355

D	SB	BO	Z	QAL	ZF	SW	ID
mm	mm	mm					
200	3.2	30	60 HW	FZ/TR		-5	166356
200	3.2	30	60 HW	KON/WZ		5	165571
200	3.2	30	48 HW	FZ/TR		5	166304
200	3.2	30	54 HW	FZ		10	165383
200	3.2	30	18 HW	FZ		25	165108
200	3.8	60	24 HW	WZ		20	165259
200	4.0	30	18 HW	FZ		25	165100
200	4.3	20	30+30 HW	FZ		10	165411
200	4.3	20	30 DP	KON/FZ		10	190570
200	4.3	30	30 DP	KON/FZ		10	190571
200	4.3	45	30 DP	KON/FZ		10	190572
200	4.3	65	30 DP	KON/FZ		10	190615
200	4.4	20	24 HW	KON/WZ		5	165568
200	4.4	20	36 HW	KON/WZ		5	165569
200	4.4	30	36 HW	KON/WZ		5	165572
200	4.4	45	36 HW	KON/WZ		5	165574
200	4.4	65	36 HW	KON/WZ		5	165576
200	4.4	80	36 HW	KON/FZ		5	165637
200	4.7	45	30 DP	KON/FZ		10	190573
200	4.7	65	30 DP	KON/FZ		10	190574
200	4.8	20	36 HW	KON/WZ		5	165573
200	4.8	45	36 HW	KON/FZ		5	165636
200	4.8	65	36 HW	KON/WZ		5	165577
200	5.0	30	60 HW	WZ/WZ/FZ		15	166012
200	5.0	30	24 HW	FZ		20	165250
200	5.8	45	36 HW	KON/WZ		5	165575
200	6.2	20	36 HW	KON/WZ		5	165570
200	6.8	20	36 HW	KON/FZ		5	165635
210	1.8	30	60 HW	FZFA/FZFA		0	169003
210	2.2	100	36 DP	FZ		3	190676
210	2.2	115	36 DP	FZ		3	190677
210	2.4	30	64 HW	FZ/TR		-5	166357
210	2.4	30	68 HW	FZFA/FZFA		5	161011
210	2.4	30	60 HW	WZ		10	166135
210	2.4	30	24 HW	WZ		15	166133
210	2.4	30	42 HW	WZ		20	166134
210	2.8	30	60 HW	WZ		-5	166252
210	2.8	30	60 HW	FZ/TR		-5	166358
210	3.2	30	18 HW	FZ		20	165109
215	4.4	50	42 HW	KON/WZ		5	165578
216	3.0	30	24 HW	WZ		-5	166253
216	3.0	30	48 HW	WZ		-5	166254
216	3.0	30	64 HW	WZ		-5	166255
216	3.0	30	64 HW	FZ/TR		-5	166359
220	1.2	60	27 HW	FZ		20	057475
220	1.2	65	24 HW	FZ		20	057474
220	1.3	60	24 HW	FZ		25	057476
220	1.3	60	32 HW	FZ		25	057478
220	1.3	65	24 HW	FZ		25	057477
220	1.3	65	32 HW	FZ		25	057479
220	1.4	60	32 HW	FZ		20	057464
220	1.4	60	24 HW	FZ		25	057480
220	1.4	65	32 HW	FZ		20	057465
220	1.4	65	24 HW	FZ		25	057481
220	2.4	40	24 HW	FZ		20	163551
220	2.5	30	45 DP	HZFA/ WZFA		10	190717

1. Sawing

D	SB	BO	Z	QAL	ZF	SW	ID
mm	mm	mm					
220	2.5	40	45	DP	HZFA/ WZFA	10	190718
220	3.0	30	70	HW	WZ/WZ/FZ	10	161255
220	3.0	40	70	HW	WZ/WZ/FZ	10	161256
220	3.1	45	48	DP	KON/FZ	10	190744
220	3.2	30	42	HW	HZ/DZ	-5	163075
220	3.2	30	72	HW	FZ/TR	-5	166360
220	3.2	30	64	HW	FZ/TR	10	163000
220	3.2	30	42	HW	HZ/DZ	10	163050
220	3.2	30	36	HW	WZ	10	163110
220	3.2	30	60	HW	WZ	10	163111
220	3.2	30	60	HW	WZ	10	166107
220	3.2	30	34	HW	WZ	15	166136
220	3.2	45	60	HW	KON/FZ	5	165638
220	3.35	30	48	HW	FZ/TR	10	165676
220	3.8	60	24	HW	WZ	20	165260
220	3.8	60	24	HW	WZ	20	165262
220	3.8	65	24	HW	WZ	20	165261
220	5.0	30	24	HW	FZ	20	165251
220	6.5	20	36	HW	KON/WZ	5	165579
225	1.5	60	25	HW	FZ	20	057447
225	1.6	60	32	HW	FZ	25	057482
225	1.8	60	25	HW	FZ	20	057448
225	2.0	40	40	HW	FZ	20	163600
225	2.0	60	25	HW	FZ	20	057449
225	2.2	30	64	HW	FZFA/FZFA	0	169004
225	2.4	30	24	HW	FZ	15	165304
225	2.6	30	68	HW	FZ/TR	-5	166361
225	2.6	30	48	HW	WZ	10	166138
225	2.6	30	32	HW	WZ	20	166137
225	2.8	30	24	HW	FZ	15	165305
225	3.2	30	6	DP	P	5	190304
225	3.8	60	24	HW	WZ	20	165263
225	5.0	30	24	HW	FZ	20	165252
225	5.0	60	40	HW	FZ	20	165256
230	2.5	30	48	HW	WZ	15	166108
230	2.5	30	24	HW	WZ	20	166140
230	3.2	30	34	HW	WZ	15	166141
235	2.5	30	24	HW	WZ	15	166156
235	2.5	30	56	HW	WZ	15	166157
235	3.2	30	24	HW	WZ	15	166142
235	3.2	30	34	HW	WZ	15	166143
240	2.5	30	50	DP	HZFA/ WZFA	10	190719
240	2.5	40	50	DP	HZFA/ WZFA	10	190720
240	2.8	40	24	HW	FZ	15	165306
240	3.0	30	75	HW	WZ/WZ/FZ	10	161257
240	3.0	30	75	HW	WZ/WZ/FZ	10	161268
240	3.0	30	48	HW	WZ	10	166145
240	3.0	30	34	HW	WZ	15	166144
240	3.0	40	75	HW	WZ/WZ/FZ	10	161258
250	1.7	30	80	HW	WZ	10	058520
250	1.7	60	36	HW	FZ	20	057433
250	1.7	60	25	HW	FZ	20	057450
250	2.0	30	100	HW	FZFA/FZFA	-5	060275
250	2.0	60	36	HW	FZ	20	057434
250	2.0	60	25	HW	FZ	20	057451
250	2.0	80	36	HW	WZ	15	163576

D	SB	BO	Z	QAL	ZF	SW	ID
mm	mm	mm					
250	2.0	100	48	DP	FZ	3	190678
250	2.0	100	48	DP	FZ	3	190679
250	2.0	115	48	DP	FZ	3	190680
250	2.2	100	36	DP	FZ	3	190681
250	2.2	100	36	DP	FZ	3	190682
250	2.2	100	48	DP	FZ	3	190684
250	2.2	100	48	DP	FZ	3	190685
250	2.2	115	36	DP	FZ	3	190683
250	2.2	115	48	DP	FZ	3	190686
250	2.4	30	48	HW	WZ	-5	166256
250	2.4	30	60	HW	WZ	-5	166257
250	2.4	30	40	HW	WZ	10	163112
250	2.4	30	80	HW	WZ	10	163113
250	2.4	30	24	HW	FZ	20	163558
250	2.4	40	24	HW	FZ	20	163552
250	2.4	60	24	HW	FZ	20	163700
250	2.4	60	40	HW	FZ	20	163701
250	2.4	70	24	HW	FZ	20	163553
250	2.4	80	32	HW	WZ	15	163577
250	2.4	80	40	HW	WZ	15	165309
250	2.4	80	24	HW	FZ	20	163554
250	2.5	30	50	DP	HZFA/ WZFA	10	190721
250	2.8	30	72	HW	FZFA/FZFA	5	161012
250	2.8	30	24	HW	FZ	15	165307
250	2.8	30	60	HW	WZ	20	166147
250	2.8	30	24	HW	WZ	25	166146
250	2.8	70	24	HW	FZ	15	165308
250	3.0	30	80	HW	WZ/WZ/FZ	10	161259
250	3.2	30	48	HW	HZ/DZ	-5	163076
250	3.2	30	80	HW	WZ	-5	163225
250	3.2	30	80	HW	WZ	-5	166258
250	3.2	30	60	HW	FZ/TR	-5	166362
250	3.2	30	80	HW	FZ/TR	-5	166363
250	3.2	30	60	HW	FZ/TR	5	166305
250	3.2	30	80	HW	FZ/TR	5	166306
250	3.2	30	54	HW	HZ/DZ	10	161300
250	3.2	30	60	HW	FZ/TR	10	163002
250	3.2	30	80	HW	FZ/TR	10	163003
250	3.2	30	48	HW	HZ/DZ	10	163051
250	3.2	30	40	HW	WZ	10	163114
250	3.2	30	60	HW	WZ	10	163115
250	3.2	30	80	HW	WZ	10	163116
250	3.2	30	50	DP	HZFA/ WZFA	10	190697
250	3.2	30	60	HW	TR/TR	15	161100
250	3.2	30	18	HW	FZ	20	165110
250	3.2	30	18	HW	FZ	20	166050
250	3.2	30	24	HW	WZ	20	166076
250	3.2	32	60	HW	FZ/TR	5	166307
250	3.2	32	80	HW	FZ/TR	5	166308
250	3.2	40	80	HW	FZ/TR	5	166309
250	3.2	70	20	HW	WZ	20	165200
250	3.2	100	48	HW	FZ	10	061434
250	3.5	30	18	HW	FZ	25	165008
250	3.5	80	18	HW	FZ	25	165009
250	3.8	60	24	HW	WZ	20	165264
250	4.0	30	18	HW	FZ	20	165101
250	4.4	30	42	HW	KON/FZ	5	165639
250	4.4	30	18	HW	FZ	25	165000

1. Sawing

D	SB	BO	Z	QAL	ZF	SW	ID
mm	mm	mm					
250	4.4	80	18	HW	FZ	25	165001
250	4.55	30	48	HW	FZ/TR	10	165677
250	5.0	30	24	HW	FZ	20	165253
250	5.0	30	36	HW	FZ	20	165254
250	8.0	80	24	HW	FZ	15	165257
254	2.2	30	72	HW	FZFA/FZFA	0	169005
255	2.8	30	60	HW	WZ	-5	166259
255	2.8	30	80	HW	WZ/WZ/FZ	10	161200
260	2.4	30	68	HW	FZ/TR	-5	166364
260	2.5	30	60	HW	WZ	-5	166250
260	2.5	30	80	HW	WZ	-5	166251
260	3.2	30	60	HW	WZ	10	166148
270	2.4	60	28	HW	FZ	20	163702
275	3.2	30	88	HW	FZ/TR	-5	166365
275	3.4	40	72	HW	FZ/TR	5	166310
280	2.5	30	55	DP	HZFA/ WZFA	10	190722
280	3.0	30	85	HW	WZ/WZ/FZ	10	161260
280	3.2	30	60	HW	FZ/TR	10	163004
280	3.2	30	48	HW	WZ	10	166149
280	3.2	30	60	HW	WZ	10	166150
280	3.2	30	60	HW	TR/TR	15	161101
280	3.2	32	96	HW	FZ/TR	5	165725
280	3.45	45	60	HW	FZ/TR	10	165675
280	4.4	30	48	HW	KON/FZ	5	165640
280	4.55	30	60	HW	FZ/TR	10	165678
280	4.55	45	84	HW	WZ	10	165684
280	4.8	45	72	HW	KON/WZ	5	165581
280	4.95	45	84	HW	WZ	10	165685
300	1.7	30	96	HW	WZ	10	058521
300	2.2	30	120	HW	FZFA/FZFA	-5	060276
300	2.2	30	80	HW	FZFA/FZFA		163527
300	2.4	30	48	HW	WZ	10	163117
300	2.4	30	96	HW	WZ	10	163118
300	2.8	30	30	HW	FZ	25	163555
300	2.8	80	28	HW	WZ	15	163578
300	2.8	80	28	HW	WZFA	15	165310
300	2.8	80	48	HW	TR/TR	15	165311
300	2.8	80	30	HW	FZ	25	163556
300	3.0	30	72	HW	FZFA/FZFA	5	161005
300	3.0	30	96	HW	FZFA/FZFA	5	161006
300	3.2	30	96	HW	FZ/TR	-5	161380
300	3.2	30	96	HW	FZ/TR	-5	161381
300	3.2	30	36	HW	WZ	-5	165500
300	3.2	30	60	HW	WZ	-5	165501
300	3.2	30	96	HW	WZ	-5	165502
300	3.2	30	72	HW	FZ/TR	-5	165825
300	3.2	30	96	HW	FZ/TR	-5	165826
300	3.2	30	120	HW	FZ/TR	-5	165827
300	3.2	30	96	HW	FZ/TR	5	161360
300	3.2	30	96	HW	FZ/TR	5	161361
300	3.2	30	72	HW	FZ/TR	5	165726
300	3.2	30	96	HW	FZ/TR	5	165727
300	3.2	30	8	DP	P	5	190305
300	3.2	30	72	HW	FZ/TR	10	163005
300	3.2	30	96	HW	FZ/TR	10	163006
300	3.2	30	36	HW	WZ	10	163119
300	3.2	30	48	HW	WZ	10	163120
300	3.2	30	72	HW	WZ	10	163121
300	3.2	30	96	HW	WZ	10	163122
300	3.2	30	72	HW	TR/TR	15	161103

D	SB	BO	Z	QAL	ZF	SW	ID
mm	mm	mm					
300	3.2	30	24	HW	FZ	20	165111
300	3.2	30	28	HW	WZ	20	166077
300	3.2	32	72	HW	FZ/TR	-5	165828
300	3.2	32	96	HW	FZ/TR	-5	165829
300	3.2	32	120	HW	FZ/TR	-5	165830
300	3.2	70	24	HW	WZ	20	165201
300	3.4	80	28	HW	FZ	15	165312
300	3.5	30	96	HW	WZ	-5	161330
300	3.5	30	96	HW	WZ	-5	161331
300	3.5	30	96	HW	WZ	5	163200
300	3.5	30	14	HW	FZ	20	166051
300	3.5	30	20	HW	FZ	25	165010
300	3.5	70	20	HW	FZ	25	165011
300	3.5	80	20	HW	FZ	25	165012
300	3.6	30	20	HW	FZ/TR	10	163500
300	3.6	30	42	HW	FZ/TR	10	163501
300	4.0	30	24	HW	FZ	20	165102
300	4.0	80	28	HW	TR/TR	15	165313
300	4.0	80	48	HW	TR/TR	15	165314
300	4.3	30	48	DP	KON/FZ	10	190743
300	4.4	30	48	HW	KON/WZ	5	165582
300	4.4	30	60	DP	HRFA	5	190666
300	4.4	30	60	HW	TR/TR	15	161102
300	4.4	30	48	HW	WZ	15	163300
300	4.4	30	60	HW	TR/TR	15	163350
300	4.4	30	60	HW	FZ/TR	15	163400
300	4.4	30	60	DP	TR/TR	15	190706
300	4.4	50	48	HW	KON/WZ	5	165583
300	4.4	60	72	HW	TR/TR	15	161104
300	4.4	60	72	HW	FZ/TR	15	163401
300	4.4	65	72	HW	KON/WZ	5	165584
300	4.4	65	48	HW	KON/WZ	5	165585
300	4.4	65	60	HW	TR/TR	15	161134
300	4.4	65	60	HW	TR/TR	15	163351
300	4.4	65	60	HW	FZ/TR	15	163402
300	4.4	75	60	HW	FZ/TR	15	163403
300	4.55	30	72	HW	WZFA	10	165682
300	4.55	65	72	HW	WZFA	10	165683
300	5.0	30	20	HW	FZ	25	165002
300	8.0	80	24	HW	FZ	15	165258
303	3.2	30	60	HW	HZ/DZ	-5	163077
303	3.2	30	100	HW	WZ/WZ/FZ	10	161201
303	3.2	30	68	HW	HZ/DZ	10	161301
303	3.2	30	60	HW	HZ/DZ	10	163054
303	3.2	30	60	DP	DZ/TR	10	190673
303	3.2	30	96	DP	DZ/TR	10	190674
303	3.2	30	60	DP	HZFA/ WZFA	10	190698
303	3.2	30	60	DP	HZFA/ WZFA	10	190728
303	3.5	30	96	HW	WZ	-5	163226
303	3.5	30	60	HW	TR/TR	10	161028
303	3.5	30	60	HW	HZ/DZ	10	163052
305	2.4	25.4	80	HW	FZFA/FZFA	0	163526
305	3.2	30	60	HW	WZ	-5	165503
308	3.2	60	96	DP	TR/TR	10	190746
308	3.2	60	96	HW	TR/TR	15	161105
308	3.2	60	96	HW	FZ/TR	15	163404
310	4.4	60	72	HW	TR/TR	15	161106
310	4.4	60	72	HW	FZ/TR	15	163405

1. Sawing

D	SB	BO	Z	QAL	ZF	SW	ID
mm	mm	mm					
315	3.0	30	48	HW	WZ	15	166152
315	3.2	30	72	HW	WZ	10	166153
315	3.2	30	28	HW	WZ	20	166151
320	3.2	30	84	HW	FZ/TR	5	165728
320	3.2	70	28	HW	WZ	20	165202
320	4.4	30	60	HW	FZ/TR	15	163406
320	4.4	50	60	HW	TR/TR	15	161107
320	4.4	65	60	HW	TR/TR	15	163352
320	4.4	65	60	HW	FZ/TR	15	163407
330	3.2	30	96	HW	FZ/TR	-5	165831
330	3.2	32	96	HW	FZ/TR	-5	165832
350	2.4	30	140	HW	FZFA/FZFA	-5	060279
350	2.8	30	30	HW	FZ	25	163557
350	3.2	30	108	HW	FZ/TR	-5	161382
350	3.2	30	108	HW	FZ/TR	-5	161383
350	3.2	30	36	HW	WZ	-5	165504
350	3.2	30	60	HW	WZ	-5	165505
350	3.2	30	108	HW	FZ/TR	-5	165837
350	3.2	30	108	HW	FZ/TR	5	161362
350	3.2	30	108	HW	FZ/TR	5	161363
350	3.2	30	108	HW	FZ/TR	5	165730
350	3.2	30	70	DP	HZFA/ WZFA	10	190699
350	3.2	30	70	DP	HZFA/ WZFA	10	190729
350	3.2	30	24	HW	FZ	20	165113
350	3.2	30	32	HW	WZ	20	166078
350	3.2	32	84	HW	FZ/TR	5	165731
350	3.4	30	84	HW	FZ/TR	-5	165833
350	3.4	30	84	HW	FZ/TR	5	165729
350	3.5	30	108	HW	WZ	-5	161332
350	3.5	30	108	HW	WZ	-5	161333
350	3.5	30	108	HW	WZ	-5	165506
350	3.5	30	96	HW	FZFA/FZFA	5	161007
350	3.5	30	108	HW	WZ	5	163201
350	3.5	30	110	HW	WZ/WZ/FZ	10	161263
350	3.5	30	80	HW	HZ/DZ	10	161302
350	3.5	30	84	HW	FZ/TR	10	163007
350	3.5	30	108	HW	FZ/TR	10	163008
350	3.5	30	72	HW	HZ/DZ	10	163053
350	3.5	30	54	HW	WZ	10	163123
350	3.5	30	72	HW	WZ	10	163124
350	3.5	30	84	HW	WZ	10	163125
350	3.5	30	108	HW	WZ	10	163126
350	3.5	30	32	HW	WZ	10	163134
350	3.5	30	24	HW	TR	10	166025
350	3.5	30	72	HW	WZ	15	165976
350	3.5	30	12	HW	FZ	20	163025
350	3.5	30	16	HW	FZ	20	166052
350	3.5	70	28	HW	WZ	20	165203
350	3.6	30	16	HW	WZ	15	165975
350	3.6	40	108	HW	FZ/TR	-5	165838
350	3.8	30	84	HW	FZ/TR	-5	165834
350	3.8	30	24	HW	FZ/TR	10	163502
350	3.8	30	48	HW	FZ/TR	10	163503
350	3.8	30	48	HW	FZFA/FZFA	10	165925
350	3.8	32	84	HW	FZ/TR	-5	165835
350	3.8	40	84	HW	FZ/TR	-5	165836
350	4.0	30	24	HW	FZ	25	165013
350	4.0	80	24	HW	FZ	25	165014

D	SB	BO	Z	QAL	ZF	SW	ID
mm	mm	mm					
350	4.4	30	70	DP	HRFA	5	190667
350	4.4	30	72	HW	WZ/FA	15	161029
350	4.4	30	72	HW	TR/TR	15	161108
350	4.4	30	54	HW	WZ	15	163301
350	4.4	30	72	HW	WZ	15	163302
350	4.4	30	72	HW	TR/TR	15	163353
350	4.4	30	72	HW	FZ/TR	15	163408
350	4.4	30	72	DP	TR/TR	15	190707
350	4.4	30	24	HW	FZ	20	165104
350	4.4	60	72	HW	WZ/FA	15	161030
350	4.4	60	72	HW	TR/TR	15	161109
350	4.4	60	72	HW	WZ	15	163304
350	4.4	60	72	HW	TR/TR	15	163354
350	4.4	60	72	HW	FZ/TR	15	163409
350	4.4	60	72	DP	TR/TR	15	190708
350	4.4	75	72	HW	TR/TR	15	161110
350	4.4	75	72	HW	FZ/TR	15	163410
350	4.4	80	54	HW	WZ	15	163305
350	4.4	80	72	HW	FZ/TR	15	163454
350	4.55	75	72	HW	FZ/TR	10	165679
350	5.0	30	24	HW	FZ	25	165003
350	5.0	80	24	HW	FZ	25	165004
355	2.4	25.4	80	HW	FZFA/FZFA	0	169006
355	3.0	30	120	HW	WZ/WZ/FZ	10	161202
355	3.2	30	72	HW	WZ	-5	165507
355	3.2	30	16	HW	WZ	20	166154
355	3.2	30	32	HW	WZ	20	166155
355	4.4	30	72	HW	WZ	15	163306
355	4.4	65	72	HW	TR/TR	15	163355
355	4.4	65	72	HW	FZ/TR	15	163412
355	4.4	75	72	HW	TR/TR	15	161111
355	4.4	75	72	HW	FZ/TR	15	163413
355	4.4	80	72	HW	TR/TR	15	161112
360	4.4	30	72	HW	TR/TR	15	161113
360	4.4	30	72	HW	TR/TR	15	163356
360	4.4	30	72	HW	FZ/TR	15	163414
360	4.4	65	72	HW	FZ/TR	15	163415
370	3.8	30	96	HW	FZ/TR	5	165732
370	4.4	30	72	HW	TR/TR	15	161114
370	4.4	30	72	HW	FZ/TR	15	163416
380	3.8	32	108	HW	FZ/TR	-5	165839
380	4.4	30	72	HW	TR/TR	15	161132
380	4.4	30	72	HW	TR/TR	15	163357
380	4.4	50	72	HW	TR/TR	15	161115
380	4.4	50	72	HW	FZ/TR	15	163417
380	4.4	60	72	HW	TR/TR	15	161116
380	4.4	60	72	HW	FZ/TR	15	163418
380	4.4	60	72	DP	TR/TR	15	190709
380	4.4	65	72	HW	TR/TR	15	163359
380	4.4	75	72	HW	FZ/TR	15	163420
380	4.8	60	84	HW	WZ/FA	15	161031
380	4.8	60	72	HW	TR/TR	15	161117
380	4.8	60	54	HW	WZ	15	163307
380	4.8	60	84	HW	TR/TR	15	163358

1. Sawing

D	SB	BO	Z	QAL	ZF	SW	ID
mm	mm	mm					
380	4.8	60	72	HW	FZ/TR	15	163419
380	4.8	60	72	DP	TR/TR	15	190710
400	3.0	30	84	HW	FZFA/FZFA		163528
400	3.2	30	130	HW	WZ/WZ/FZ	20	161203
400	3.5	30	120	HW	WZ	-5	161334
400	3.5	30	120	HW	WZ	-5	161335
400	3.5	30	48	HW	WZ	10	163127
400	3.5	30	60	HW	WZ	10	163128
400	3.5	30	84	HW	WZ	10	163129
400	3.5	30	96	HW	WZ	10	163130
400	3.5	30	120	HW	WZ	10	163131
400	3.5	30	120	HW	WZ	10	165450
400	3.5	30	14	HW	FZ	20	163026
400	3.8	30	42	HW	WZ	-5	165508
400	3.8	30	60	HW	WZ	-5	165509
400	3.8	30	120	HW	WZ	-5	165510
400	3.8	30	96	HW	FZ/TR	-5	165840
400	3.8	30	96	HW	FZ/TR	5	165733
400	3.8	30	28	HW	FZ/TR	10	163504
400	3.8	30	54	HW	FZ/TR	10	163505
400	3.8	30	28	HW	TR	10	166026
400	3.8	32	96	HW	FZ/TR	-5	165841
400	3.8	32	96	HW	FZ/TR	5	165734
400	3.8	40	96	HW	FZ/TR	-5	165842
400	3.8	50	96	HW	FZ/TR	-5	165843
400	3.8	50	96	HW	FZ/TR	5	165735
400	4.0	30	28	HW	FZ	20	165114
400	4.0	30	18	HW	FZ	20	166053
400	4.0	30	36	HW	WZ	20	166079
400	4.0	30	28	HW	FZ	25	165015
400	4.0	70	24	HW	WZ	20	165204
400	4.0	80	28	HW	FZ	25	165016
400	4.4	30	80	DP	HRFA	5	762339
400	4.4	30	60	HW	FZFA/FZFA	10	165926
400	4.4	30	72	HW	WZ/FA	15	161032
400	4.4	30	72	HW	TR/TR	15	161118
400	4.4	30	60	HW	WZ	15	163308
400	4.4	30	72	HW	WZ	15	163309
400	4.4	30	72	HW	TR/TR	15	163360
400	4.4	30	72	HW	FZ/TR	15	163421
400	4.4	30	72	DP	TR/TR	15	190711
400	4.4	60	72	HW	FZ/TR	15	163422
400	4.4	65	72	HW	TR/TR	15	163361
400	4.4	75	72	HW	TR/TR	15	161119
400	4.4	75	72	HW	FZ/TR	15	163423
400	4.4	80	72	HW	TR/TR	15	161120
400	4.4	80	72	HW	TR/TR	15	161121
400	4.4	80	72	HW	FZ/TR	15	163424
400	4.4	80	72	HW	FZ/TR	15	163455
400	5.0	30	28	HW	FZ	20	165105
400	5.0	30	28	HW	FZ	25	165005
400	5.0	80	28	HW	FZ	25	165006
420	3.8	30	108	HW	FZ/TR	-5	165844
420	3.8	30	96	HW	FZ/TR	5	165736

D	SB	BO	Z	QAL	ZF	SW	ID
mm	mm	mm					
420	3.8	40	108	HW	FZ/TR	-5	165845
420	4.8	60	72	HW	TR/TR	15	161122
420	4.8	60	72	HW	FZ/TR	15	163426
430	3.5	30	96	HW	FZ/TR	5	165737
430	4.4	30	72	HW	TR/TR	15	161123
430	4.4	30	72	HW	WZ	15	163310
430	4.4	30	72	HW	FZ/TR	15	163427
430	4.4	65	72	HW	TR/TR	15	163362
430	4.4	75	72	HW	TR/TR	15	161124
430	4.4	75	72	HW	FZ/TR	15	163428
430	4.4	80	72	HW	TR/TR	15	161125
430	4.4	80	72	HW	FZ/TR	15	163429
440	7.0	75	12	HW	WZ	20	165326
450	3.0	30	120	HW	WZ	20	058461
450	3.6	30	140	HW	WZ/WZ/FZ	20	161204
450	3.8	30	48	HW	WZ	-5	165511
450	3.8	30	108	HW	FZ/TR	-5	165846
450	3.8	30	110	HW	FZ/TR	5	165738
450	3.8	30	66	HW	WZ	10	163132
450	3.8	30	16	HW	FZ	20	163027
450	3.8	32	108	HW	FZ/TR	-5	165847
450	3.8	32	96	HW	FZ/TR	5	165739
450	4.0	30	34	HW	FZ/TR	10	163506
450	4.0	30	32	HW	TR	10	166027
450	4.0	30	28	HW	FZ	20	165115
450	4.0	30	20	HW	FZ	20	166054
450	4.0	30	42	HW	WZ	20	166080
450	4.4	30	90	DP	HRFA	5	190668
450	4.4	30	60	HW	FZ/TR	10	165927
450	4.4	30	72	HW	WZ/FA	15	161033
450	4.4	30	72	HW	TR/TR	15	161126
450	4.4	30	54	HW	WZ	15	163311
450	4.4	30	72	HW	WZ	15	163312
450	4.4	30	72	HW	TR/TR	15	163363
450	4.4	30	72	HW	FZ/TR	15	163430
450	4.4	30	28	HW	FZ	25	165017
450	4.4	80	72	HW	FZ/TR	15	163432
450	4.8	30	138	HW	WZ	10	165451
450	4.8	30	72	HW	FZ/TR	10	165680
450	4.8	60	72	HW	WZ/FA	15	161034
450	4.8	60	72	HW	TR/TR	15	161127
450	4.8	60	72	HW	TR/TR	15	163364
450	4.8	60	72	HW	FZ/TR	15	163431
450	4.8	60	72	DP	TR/TR	15	190712
450	4.8	80	72	HW	TR/TR	15	161128
450	4.8	80	72	HW	FZ/TR	15	163433
450	5.0	30	108	HW	WZ	10	165452
450	5.0	30	28	HW	FZ	20	165106
450	5.0	30	28	HW	FZ	25	165007
460	4.4	30	48	HW	FZFA/FZFA	10	165928
460	4.4	30	72	HW	TR/TR	15	161129
460	4.4	30	72	HW	TR/TR	15	163365
460	4.4	30	72	HW	FZ/TR	15	163434
470	4.4	75	96	HW	FZ/TR	15	163435
470	4.8	70	72	HW	TR/TR	15	163366
480	4.4	30	72	HW	WZ	15	163313
480	4.4	30	72	HW	FZ/TR	15	163436
480	4.8	60	72	HW	TR/TR	15	161130

1. Sawing

D	SB	BO	Z	QAL	ZF	SW	ID
mm	mm	mm					
480	4.8	60	72	HW	FZ/TR	15	163437
480	4.8	80	72	HW	TR/TR	15	161133
480	4.8	80	72	HW	FZ/TR	15	163438
500	3.8	30	72	HW	WZ	10	163133
500	4.0	30	36	HW	TR	10	166028
500	4.0	30	150	HW	WZ/WZ/FZ	20	161205
500	4.0	30	32	HW	FZ	20	165116
500	4.0	30	24	HW	FZ	20	166055
500	4.0	30	48	HW	WZ	20	166081
500	4.0	32	96	HW	FZ/TR	5	165741
500	4.0	32	120	HW	FZ/TR	5	165742
500	4.4	30	54	HW	WZ	-5	165512
500	4.4	30	120	HW	FZ/TR	-5	165848
500	4.4	30	120	HW	FZ/TR	5	165740
500	4.4	30	100	DP	HRFA	5	762341
500	4.4	30	36	HW	FZ/TR	10	163507
500	4.4	32	120	HW	FZ/TR	5	165743
500	4.4	75	28	HW	WZ	20	165328
500	4.8	30	144	HW	WZ	10	165454
500	4.8	35	144	HW	WZ	10	165455
500	4.8	60	72	HW	TR/TR	15	163367
500	5.0	30	32	HW	FZ	20	165107
500	5.0	30	28	HW	WZ	20	165205
500	5.2	30	120	HW	WZ	10	165453
500	5.2	30	60	HW	WZ	15	163314
500	5.2	30	60	HW	FZ/TR	15	163439
500	5.2	60	60	HW	FZ/TR	15	163440
500	5.2	80	60	HW	WZ	15	163315
500	7.0	75	14	HW	WZ	20	165327
510	4.8	80	72	HW	FZ/TR	15	163441
520	4.4	30	44	HW	FZFA/FZFA	10	165929
520	4.4	30	72	HW	WZ	15	163316
520	4.4	30	72	HW	FZ/TR	15	163442
520	4.4	50	120	HW	FZ/TR	-5	165849
520	4.6	30	144	HW	WZ	10	165456
520	4.8	30	72	HW	TR/TR	15	161131
520	4.8	60	72	HW	TR/TR	15	163368
520	4.8	60	72	HW	FZ/TR	15	163443
520	4.8	70	72	HW	FZ/TR	15	163444
520	5.4	60	72	HW	WZ	20	165332
530	4.4	30	44	HW	FZFA/FZFA	10	165930
550	4.0	30	132	HW	FZ/TR	-5	165850
550	4.0	30	160	HW	WZ/WZ/FZ	20	161206
550	4.0	32	132	HW	FZ/TR	-5	165851
550	4.0	32	96	HW	FZ/TR	5	165744
550	4.0	32	126	HW	FZ/TR	5	165745
550	4.4	30	120	HW	FZ/TR	5	165746
550	4.4	30	110	DP	HRFA	5	762342
550	4.8	30	54	HW	WZ	20	166082
550	5.0	30	96	HW	WZ	10	165457
550	5.2	30	160	HW	WZ	10	165458
550	5.2	30	120	HW	WZ	10	165459
550	5.2	30	60	HW	WZ	15	163317
550	5.2	80	60	HW	WZ	15	163318
555	5.2	55	54	HW	WZ	20	165325
570	4.8	60	60	HW	FZ/TR	22	163445
570	5.0	40	48	HW	FZFA/FZFA	10	165931
600	4.6	30	140	HW	FZ/TR	5	165747
600	4.8	30	120	DP	HRFA	5	762343
600	4.8	30	60	HW	WZ	20	166083

D	SB	BO	Z	QAL	ZF	SW	ID
mm	mm	mm					
600	5.0	32	132	HW	FZ/TR	5	165748
600	5.2	30	138	HW	FZ/TR	-5	165852
600	5.4	30	172	HW	WZ	10	165461
600	5.4	80	72	HW	WZ	20	165333
600	5.8	30	108	HW	WZ	10	165460
600	5.8	60	60	HW	FZ/TR	22	163446
600	5.8	60	72	HW	FZ/TR	22	163447
600	6.0	30	48	HW	WZ	15	057570
600	7.0	75	16	HW	WZ	20	165329
620	5.5	40	36	HW	FZFA/FZFA	10	165932
620	5.5	40	60	HW	FZ/TR	10	165933
630	5.0	30	62	HW	WZ	15	057567
630	5.4	30	180	HW	WZ	10	165462
640	5.4	30	36	HW	WZ	20	165330
650	5.0	30	144	HW	FZ/TR	5	165749
670	5.8	60	42	HW	FZ/TR	22	163448
680	5.5	40	42	HW	FZFA/FZFA	10	165934
680	6.2	40	60	HW	FZ/TR	22	163449
700	4.8	30	60	HW	WZ	20	166084
700	6.0	30	72	HW	WZ	15	165334
700	6.2	80	60	HW	FZ/TR	22	163450
720	6.5	40	60	HW	FZ/TR	22	163451
730	6.2	60	60	HW	FZ/TR	22	163452
750	6.0	30	72	HW	WZ	15	165335
750	7.0	80	70	HW	FZ/TR	22	163453
800	6.0	30	72	HW	WZ	15	165336
850	8.0	30	60	HW	WZ	20	165331



Más información

Ciudad de México

Tel: 557 - 8647

Tel: 5577 - 5386

